

Ford RANGER

Ford



Go Further



XL Double Cab 3.2L 4x4 shown in Frozen White



XLT Super Cab 2.0L 4x4 shown in Blue Lightning



XLS Double Cab 3.2L 4x4 shown in Race Red



Wildtrak Double Cab 2.0L 4x4 shown in Saber with optional Black 18" Alloy Wheels



TOUGH DONE SMARTER

The 2019 Ranger is here, it's tough, capable and ready to work. With a striking new design, formidable range of engines, and smarter state-of-the-art technology and safety, Ford Australia's most advanced pick-up just got even better.

3.2L Diesel Engine

Tried, tested and trusty. Boasting 147kW of power and 470Nm of torque, the 3.2L 5 cylinder diesel engine delivers all the power you'd expect, with incredible fuel efficiency.

Bi-Turbo Engine

The epitome of tough done smart. Combining high grade alloy materials to ensure durability at higher temperatures, the two turbo chargers work together with the advanced 10-speed auto to allow for greater torque, better fuel economy and lower noise levels, with the reliability and robustness expected from a Ranger.

Double Cab Colour Range

*Prestige Paint ^Wildtrak exclusive colour †Not available on Wildtrak



Wildtrak in Frozen White



XLT in Race Red*



XLT in Blue Lightning†



Wildtrak in Saber**



Wildtrak in Ingot Silver*



XLT in Magnetic*



XLT in Shadow Black*

Notes

Blank area for notes.



Pre-Collision Assist with Pedestrian Detection⁶.

Combining camera and radar sensors that see the road ahead, this AEB system is designed to help detect and mitigate frontal collisions with vehicles and vulnerable road users like pedestrians and cyclists by automatically applying the brakes.



Semi-Auto Active Park Assist⁸.

Not only will this system use ultrasonic sensors to help you find a suitable parallel park, it will steer you in automatically, while you focus on the accelerator and brake.



Smart Keyless Entry & Push Button Start

Get in and out without taking your keys out of your pocket, coat or bag. When the intelligent access system detects your key, you can get going at the push of a button.



Tailgate with Lift Assistance³.

You've got enough heavy lifting to do. Load your Ranger pick-up with greater ease, thanks to the Tailgate with Lift Assistance that now requires 70% less effort to close.



SYNC[®]3 with Apple CarPlay & Android Auto^{4,7}.

Use voice commands to locate your next worksite, make hands free phone calls and listen to text messages. Connect your compatible smartphone through Apple CarPlay, Android Auto or Applink[®] for hands-free control of your favourite apps.



LED Lighting

Cool LED signature Daytime Running Lights help you see and be seen clearer than ever before. Ranger Wildtrak even comes with LED Fog Lamps which outperform halogen lights in both brightness and efficiency.



3.5 Tonne Towing¹.

With up to 3,500kg braked towing capacity and 6,000kg gross combined mass in conjunction with Trailer Sway Control, you'll be able to handle big loads with confidence.

Ranger 2019MY Specifications. Visit ford.com.au for full details.

	XL	XLS	XLT	Wildtrak
Drivetrains				
4x2 (Low-Rider)
4x2 (Hi-Rider)
4x4
Body Styles				
Single Cab Chassis
Super Cab Chassis
Super Cab Pick-Up
Double Cab Chassis
Double Cab Pick-Up
2.2L TDCI Diesel Engine				
Availability	S			
Engine Type		Inline 4 Cylinder		
Engine Size (cm ³)		2198		
Maximum Power		118kW @ 3200rpm		
Maximum Torque		385Nm @ 1600-2500rpm		
Transmission		6-Speed Manual, 6-Speed Automatic		
3.2L TDCI Diesel Engine				
Availability	O	S	S	S
Engine Type		Inline 5 Cylinder		
Engine Size (cm ³)		3198		
Maximum Power		147kW @ 3000rpm		
Maximum Torque		470Nm @ 1750-2500rpm		
Transmission		6-Speed Manual, 6-Speed Automatic		
Bi-Turbo Diesel Engine				
Availability		O	O	
Engine Type		Inline 4 Cylinder		
Engine Size (cm ³)		1996		
Maximum Power		157kW @ 3750rpm		
Maximum Torque		500Nm @ 1750-2000rpm		
Transmission		10-Speed Automatic		
Vehicle Masses - excluding 4x2 Low-Rider (kg)¹				
Gross Vehicle Mass		3200		
Gross Combined Mass		6000		
Maximum Braked Towing Capacity ²		3500		
Exterior				
Exterior Colour - Bumper (Front)	Body Colour	Body Colour	Body Colour	Body Colour with Monument Grey insert
Exterior Colour - Bumper (Rear)	Body Colour	Body Colour	Chrome Steel	Monument Grey
Exterior Colour - Door Handles	Black	Black	Chrome	Monument Grey
Exterior Colour - Door Mirrors	Black	London Grey	Chrome	Monument Grey
Exterior Colour - Grille	Black	London Grey	Chrome	Monument Grey
Exterior Lighting - Front Fog Lamps		Halogen	Halogen	LED
Exterior Lighting - High Intensity Discharge (HID) Headlamps			S	S
Exterior Lighting - LED Daytime Running Lamps			S	S
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding & Heated			S	S
Exterior Mirrors - Puddle Lamps			S	S
Privacy Glass			S	S
Rear Sports Bar			Chrome Tubular	Sailplane
Side Steps			Black	Black with Silver Insert
Tailgate Lock	Manual	Manual	Manual	Power
Tailgate with Lift Assistance ³	S	S	S	S
Tow Bar			S	S
Wheel Size and Type	16" Steel	16" Alloy	17" Alloy	18" Alloy
Load Box Elements				
Bedliner with 12V Socket			S	S
Inner Tie Downs ⁵	S	S	S	S
Load Box Illumination ⁵	S	S	S	S
Load Rest ⁵	S	S		
Roller Shutter				S
Seating				
6-way Manual Driver Seat Adjustment plus Lumbar Support	S	S	S	
8-way Power Driver Seat Adjustment plus Lumbar Support				S
Heated Front Seats				S
XLT Leather Accented Seats - Black			O	
Wildtrak Leather Accented Seats - Black with Orange Stitching				S
Comfort and Convenience				
230V Inverter in Rear Console (Super Cab / Double Cab only)	S	S	S	S
Ambient Lighting - Multi-Colour				S
Auxiliary 12V Power Outlets - In Cabin	1	1	2	2
Centre Console - Cooled			S	S
Child Seat Upper Anchorage Points (Super Cab / Double Cab only)	2	2	2	2
Child Seat ISOFIX Anchorage Points (Double Cab only)	2	2	2	2
Climate Control - Dual Zone Automatic		P	S	S
Dual Colour 4.2" Instrumentation Screens		P	S	S
Floor Coverings	Vinyl	Carpet	Carpet	Carpet
Floor Mats		Driver	Driver	Front and Rear
Headlamps - Auto On/Off Function	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob			S	S
Power Windows (Auto Driver)	S	S	S	S
Rain Sensing Windscreen Wipers			S	S
Rear View Mirror - Electrochromatic			S	S
Audio And Communication				
4.2" Colour Multi-Function Display	S	S		
8" Colour Touch Screen		P	S	S
Apple CarPlay & Android Auto ⁴		P	S	S
Bluetooth ⁵ with Phone/Audio Streaming ⁵	S	S	S	S
DAB+ Digital Radio		P	S	S
Satellite Navigation with Traffic Message Channel ⁶		P	S	S
SYNC [®] with Voice-Activated Controls ⁷	S	S		
SYNC [®] 3 with Voice-Activated Controls ⁷		P	S	S
USB Ports	1	1	2	2
Safety, Security and Driver Assistance				
Adaptive Cruise Control with Forward Collision Alert ⁹			P	S
Airbags x 6 - Front and Side (Driver & Passenger), Full Length Curtain	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors		S	S	S
Auto High Beam ⁸			P	S
Cruise Control with Adjustable Speed Limiter	S	S	S	S
Driver Impairment Monitor ⁹			P	S
Dynamic Stability Control (DSC) incorporating ABS, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control ⁸	S	S	S	S
Emergency Assistance ⁹	S	S	S	S
Hill Descent Control ⁸	S	S	S	S
Hill Launch Assist ⁸	S	S	S	S
Lane Keeping Aid ⁹			P	S
MyKey ⁹		P	S	S
Parking Sensors (Pick-Up Models Only)	Rear	Front & Rear	Front & Rear	Front & Rear
Pre-Collision Assist - AEB with Pedestrian Detection ⁶			P	S
Rear Differential - eLocking	S	S	S	S
Rear View Camera (Pick-Up Models Only)	S	S	S	S
Semi-Auto Active Park Assist ⁸			P	S
Smart Keyless Entry with Push Button Start		P	S	S
Traffic Sign Recognition ⁹			P	S
Tyre Pressure Monitoring System			S	S
Factory Fitted Options				
Black 18" Alloy Wheels			O	O
XLS SYNC [®] 3 Pack - incl. SYNC [®] 3, 8" Touch Screen, Sat Nav, Dual 4.2" Instrument Screens, DAB+ Radio, Dual Zone Climate Control, Smart Keyless Entry with Push Button Start, Chrome Grille/Handles		O		
XLT Leather Accented Seats - Black			O	
XLT Tech Pack - incl. Adaptive Cruise Control, Pre-Collision Assist, Auto High Beam, Driver Impairment Monitor, Lane Keeping Aid, Semi Auto Active Park Assist & Traffic Sign Recognition ⁹			O	

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

1. Excluding 4x2 XL Single Cab Chassis 2.2 Low Rider, which has a GCM of 5,425kg, GVM of 2,925kg, and Maximum Braked Towing Capacity of 2,500kg. 2. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance. 3. Pick-up models only. 4. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC[®] does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink[®] is available on selected SYNC[®] models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 5. Bluetooth[®] is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 6. Traffic Message Channel is currently provided through an arrangement with Intelmatics Australia Pty Ltd (Intelmatics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelmatics cease for any reason. 7. Not all SYNC[®] and SYNC[®]3 features are compatible with all phones. For compatibility, see ford.com.au/sync. 8. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 9. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off.

FORD SERVICE

Our Commitment to You

Convenience. Reliability. And no nasty surprises. That's what service should be. And that's exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do.

Five Year / Unlimited Kilometre Warranty

As a Ford owner you will now receive a Five Year / Unlimited Kilometre Ford Express New Vehicle Warranty with your purchase¹. For details about this warranty please visit: www.ford.com.au/owners/warranties



Service Experience

Speak to your participating Ford Dealer today about how we can help you make the most out of your vehicle experience.



Loan Car

So we can keep you on the road when you're getting a scheduled service you can take advantage of our Loan Car program.⁴



Auto Club Membership

Getting a flat tyre or battery is never convenient so State Auto Club Membership and Roadside Assistance for up to 12 months will be included with your next standard service, for up to seven years/unlimited kilometres³.



Service Price Promise

With Ford's Service Price Promise, you'll know what you're going to pay for a standard service before you even come in. So there are no nasty surprises for the life of your Ford⁵.



Sat Nav Map Updates

Never lose your way again with the latest map data for your Satellite Navigation system. If your vehicle has SYNC[®] 3 with Satellite Navigation, you'll receive yearly map updates for up to seven years with your scheduled servicing. If your vehicle has SYNC[®] 2 with Satellite Navigation, you'll receive yearly map updates until September 2024².



- VEHICLE REPORT CARD
- ONLINE BOOKING
- BRAKES PRICE PROMISE⁷

- LOW PRICE TYRE GUARANTEE
PRICE MATCH PROGRAM⁶

- 24/7 ACCESS TO FORD CUSTOMER
RELATIONSHIP CENTRE

Now that's what Service should be.

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 3673) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please call 1300 13 13 30 or email askfleet@ford.com

Ford For Good

From supporting national causes to community volunteering, we take our social responsibility seriously. Find out more at ford.com.au/about/community



1. Warranty conditions apply. 5 year/unlimited km Ford Express New Vehicles Warranty applies to new, demonstrator and service loaner vehicles delivered from 1 May 2018. Our goods come with consumer guarantees that cannot be excluded under the Australian Consumer Law. Our warranty does not limit and may not exceed your rights under those guarantees. 2. Available at participating Dealers. Customers must comply with scheduled servicing intervals. See www.ford.com.au/service/t-and-c for full terms. 3. Available to Private and Blue Business Fleet customers with vehicles 7 years old or less. State Auto Club Membership & Roadside Assistance is included for 12 months or until your next eligible standard service (whichever occurs first) at participating Dealers. Customers must comply with scheduled servicing intervals to maintain continuity of membership. New Transit vans are covered by a 12 month Ford Vancare Roadside Assistance product and therefore do not receive State Auto Club Roadside Assistance and Membership when purchased. Transit vans are only eligible to receive State Auto Club Roadside Assistance and Membership after the completion of the 1 year Ford Vancare Roadside Assistance product that is included with the sale of all new Transit vehicles. Towing will be at the customers cost for Vans with a GVM >4,490kg. See www.ford.com.au/service/owners/t-and-c for full terms. 4. Available at participating dealers on scheduled services or overnight warranty repairs. Private and Blue, Silver and Gold Business Fleet customers only. Booking may be required. See www.ford.com.au/owners/service/t-and-c/ for full terms. 5. Available at participating Ford Dealers on vehicles built from 2007. Customers will pay equal to or less than the maximum price as published by Ford for the period of the web quote for standard items in the A and B logbook service together with selected routine maintenance items. See www.ford.com.au/owners/service/t-and-c/ for full terms. 6. Available on selected tyres of listed brands that are stocked by participating Ford dealers. Competitor tyres must be new, identical and available from an Australian tyre retailer. Offer includes "4 for 3" or similar competitor offers, but excludes competitor cashback offers, gift cards, "wheel and tyre" bundles, tyres purchased under an instalment payment plan, clearance and liquidation stock and any competitor quotes that cannot be verified. Offer is available to private retail and Blue Business Fleet customers who present an eligible competitor quote. Includes valid competitor's quote within 30 days after purchase. Various adjustments, including fitment and freight, apply to ensure a like-for-like price comparison. See your participating Ford dealer for full terms and conditions. Ford reserves the right to vary or withdraw the Low Price Tyre Guarantee offer at any time. 7. Available at participating Ford Dealers. Excludes F-Series, Everest, Mustang, Transit models and Performance Vehicles. Customers will pay equal to or less than the current maximum price as published by Ford at ford.com.au/owners/service/brakes. Maximum prices are subject to change. See <http://www.ford.com.au/owners/service/t-and-c/> for full terms.

This brochure details specifications and features of the 2019 Ford Ranger Range. Some driver assistance features and safety features described in this brochure are designed to function using sensors, whose performance may be affected under certain weather or environmental conditions. Not all features will be available on the entire 2019 Ford Ranger Range. Please visit our website www.ford.com.au for more information.

This brochure is designed to provide you with a general introduction to the Ford Products (including available optional equipment) referred to, and should be read in conjunction with the latest specification sheet. Image and Illustrations are for information purposes and are indicative only. Because of changes in conditions and circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.

*FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.B.N. 30 004 116 223) Registered Office: Level 1, 600 Victoria St, Richmond, Victoria 3121, Australia. Ranger Brochure. Printed August 2018. BHPFM0578 FRD0002350

Discover more at ford.com.au

Click to Request



Quote



Hot Deals



Test Drive



Go Further

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Engine							
Engine Type	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm ³)	2198	2198	2198	2198	2198	3198	1996
Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	16:1
Maximum Power	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	147kW @ 3000rpm	157kW @ 3750rpm
Maximum Torque	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	385Nm @ 1600-2500rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm
No. of Valves	16	16	16	16	16	20	16
Bore x Stroke (mm)	86 x 94.6	86 x 94.6	86 x 94.6	86 x 94.6	86 x 94.6	89.9 x 100.76	84 x 90
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
Transmissions/Ratios							
6-speed manual transmission	S						
6-speed automatic transmission		S	S	S	S	S	
10-speed automatic transmission							S
Fuel							
Combined Fuel Economy (L/100km)(Manual) ¹	6.5						
CO ₂ Emissions (g/km)(Manual) ¹	169						
Combined Fuel Economy (L/100km)(Auto) ¹		7.8	7.8	7.8	7.8	8.2	6.7
CO ₂ Emissions (g/km)(Auto) ¹		203	203	203	203	216	177
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Pick-up Box Dimensions (mm)							
Height - at centreline of axle					511	511	511
Height - floor height to ground					835	835	835
Length - at floor					1549	1549	1549
Length - top of box					1485	1485	1485
Width - between wheelhouses					1139	1139	1139
Width - pick-up box					1560	1560	1560
Width - rear opening					1330	1330	1330
Exterior Dimensions (mm)							
Length - with rear bumper (where fitted)	5113	5113	5113	5113	5362	5426	5426
Width - exterior mirrors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1860	1860	1860	1860	1860	1860	1860
Height	1703	1800	1804	1815	1815	1821	1821
Overhang - Front	908	908	908	908	908	908	908
Overhang - Rear	985	985	985	985	1234	1226	1226
Track - Front and Rear	1590	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	201	232	232	232	232	237	237
Wading Depth (mm)	600	800	800	800	800	800	800
Approach Angle (unladen, degrees)	22	28	28	28	28	29	29
Departure Angle (unladen, degrees)	24	28	24	28	27	21	21
measured to:							
a) rear bumper on XL Pick-up models,							
b) spare tyre on XL Cab Chassis models,							
c) tow bar on XLT and Wildtrak models							
Ramp Breakover Angle (degrees)	17	24	24	24	24	25	25
Turning Circle - Kerb to Kerb (m)	11.9	12.7	12.7	12.7	12.7	12.7	12.7
Interior Dimensions (mm)							
2nd Row Headroom			938	986	986	986	986
2nd Row Legroom			796	902	902	902	902
2nd Row Shoulder Room			1400	1430	1430	1430	1430
Front Headroom	1024	1024	1024	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
Vehicle Masses (kg)²							
Kerb Weight - Total ³	1666	1724	1783	1845	1970	2131	2099
Kerb Weight - Front Axle ³	1046	1084	1108	1119	1158	1163	1137
Kerb Weight - Rear Axle ³	620	640	675	726	812	968	962
Payload ⁴	1259	1476	1417	1355	1230	1069	1101
Gross Vehicle Mass	2925	3200	3200	3200	3200	3200	3200
Gross Combined Mass	5425	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity ⁵	2500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1325	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1755	1850	1850	1850	1850	1850	1850

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 5. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Exterior							
Centre High Mounted Stop Light					S	S	S
Exterior Lighting - LED Daytime Running Lamps						S	S
Exterior Door / Tailgate Handles - Black	S	S	S	S	S		
Exterior Door / Tailgate Handles - Chrome						S	S
Exterior Door / Tailgate Handles - Bolder Grey							
Exterior Mirrors - Black	S	S	S	S	S		
Exterior Mirrors - London Grey							
Exterior Mirrors - Chrome						S	S
Exterior Mirrors - Bolder Grey							
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator						S	S
Exterior Mirrors - Puddle Lamps							
Front Bumper - Body Colour	S	S	S	S	S	S	S
Front Bumper Insert - Accent Bolder Grey							
Exterior Lighting - Front Fog Lamps (Halogen)						S	S
Exterior Lighting - Front Fog Lamps (LED)							
Grille - Black	S	S	S	S	S		
Grille - London Grey							
Grille - Chrome						S	S
Grille - Bolder Grey							
Exterior Lighting - High Intensity Discharge (HID) headlamps						S	S
Mud Flaps - Front and Rear ⁶	S	S	S	S	S	S	S
Privacy Glass						S	S
Rear Bumper - Body Colour					S		
Rear Bumper - Chrome Steel						S	S
Rear Bumper - Bolder Grey							
Side Steps - Black							
Side Steps - Black with Silver Inserts							
Rear Sports Bar - Chrome Tubular						S	S
Rear Sports Bar - Sailplane							
Tow Bar						S	S
Wheels - 16" Steel	S	S	S	S	S		
Wheels - 16" Alloy							
Wheels - 17" Alloy						S	S
Wheels - 18" Alloy						O	O
Load Box Elements Load Box Elements							
Bedliner with 12V Socket						S	S
Inner Tie Downs					S	S	S
Load Box Illumination					S	S	S
Load Rest					S		
Roller Shutter							
Tailgate Lock - Manual					S	S	S
Tailgate Lock - Power (activated with Central Locking)							
Tailgate with Lift Assistance					S	S	S
Seating							
6-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S	S	S
8-way Power Driver Seat Adjustment (plus Lumbar Support)							
Heated Front Seats							
XLT Leather Accented Seats (Black)						O	O
Wildtrak Leather Accented Seats (Black with orange stitching)							
Comfort and Convenience							
230V Inverter - Rear of Centre Console			S	S	S	S	S
Ambient Lighting - Multi-Colour							
Auxillary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Rear of Centre Console						S	S
Centre Console - Single Lid with 2 Cup Holders & Coin Storage	S	S	S	S	S	S	S
Centre Console - Cooled						S	S
Child Seat Upper Anchorage Points (x 2)			S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)				S	S	S	S
Climate Control - Single Zone Manual	S	S	S	S	S		
Climate Control - Dual Zone Automatic						S	S
Dual Colour 4.2" Instrumentation Screens						S	S
Floor Coverings - Vinyl	S	S	S	S	S		
Floor Coverings - Carpet						S	S
Floor Mats - Driver Only						S	S
Floor Mats (Wildtrak) - All Positions							
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob						S	S
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

6. Rear mud flaps on pick-up models only.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Comfort and Convenience – Cont.							
Power Rear Windows				S	S	S	S
Rain Sensing Windscreen Wipers						S	S
Rear Window Defrost	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S		
Rear View Mirror - Electrochromatic						S	S
Audio And Communication							
4.2" Colour Multi-Function Display	S	S	S	S	S		
8" Colour Touch Screen						S	S
4 Speakers (2 Tweeters, 2 Woofers)	S	S					
6 Speakers (2 Tweeters, 4 Woofers)			S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay & Android Auto ⁷						S	S
Bluetooth ⁸ with Phone/Audio Streaming ⁸	S	S	S	S	S	S	S
CD Player (MP3 compatible)	S	S	S	S	S	S	S
DAB+ Digital Radio						S	S
Satellite Navigation with Traffic Message Channel ⁹						S	S
SYNC [®] with Voice-Activated Controls ¹⁰	S	S	S	S	S		
SYNC [®] 3 with Voice-Activated Controls ¹⁰						S	S
USB Port x1	S	S	S	S	S		
USB Ports x 2						S	S
Safety, Security and Driver Assistance							
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
Adaptive Cruise Control with Forward Collision Alert ¹¹						P	P
Adjustable Speed Limiter	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors						S	S
Anti-Lock Braking System (ABS) ¹¹	S	S	S	S	S	S	S
Auto High Beam ¹¹						P	P
Beltminder™ - All Positions	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S
Driver Impairment Monitor ¹¹						P	P
Dynamic Stability Control (DSC) ¹¹	S	S	S	S	S	S	S
Emergency Assistance ¹²	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S
Hill Descent Control ¹¹							
Hill Launch Assist ¹¹	S	S	S	S	S	S	S
Lane Keeping Aid ¹¹						P	P
Load Adaptive Control ¹¹	S	S	S	S	S	S	S
MyKey [®]						S	S
Parking Sensors - Front						S	S
Parking Sensors - Rear					S	S	S
Pre-Collision Assist - AEB with Pedestrian Detection ¹¹						P	P
Rear Differential - eLocking		S	S	S	S	S	S
Rear View Camera					S	S	S
Remote Keyless Entry - 1 Fob Provided	S	S	S	S	S		
Roll Over Mitigation ¹¹	S	S	S	S	S	S	S
Semi-Auto Active Park Assist ¹¹						P	P
Smart Keyless Entry with Push Button Start - 2 Fobs Provided						S	S
Traction Control System ¹¹	S	S	S	S	S	S	S
Traffic Sign Recognition ¹¹						P	P
Trailer Sway Control ¹¹	S	S	S	S	S	S	S
Tyre Pressure Monitoring System						S	S
Regular Production Options							
Automatic Transmission		S	S	S	S	S	S
Black 18" Alloy Wheels						O	O
SYNC [®] 3 Pack, including: - SYNC [®] 3 - 8" Touch Screen - Satellite Navigation - Dual 4.2" Instrument Screens - DAB+ Digital Radio - Dual Zone Climate Control - Smart Keyless Entry with Push Button Start - Chrome Exterior Grille & Handles							
XLT Leather Accented Seats						O	O
XLT Tech Pack, including: - Adaptive Cruise Control with Forward Collision Alert - Pre-Collision Assist (AEB with Pedestrian Detection) - Auto High Beam - Driver Impairment Monitor - Lane Keeping Aid - Semi Auto Active Park Assist - Traffic Sign Recognition ¹¹						O	O
Prestige Paint ¹³	O	O	O	O	O	O	O

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

7. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC[®] does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink[®] is available on selected SYNC[®] models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 8. Bluetooth[®] is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Intellematics Australia Pty Ltd (Intellematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intellematics cease for any reason. 10. Not all SYNC[®] and SYNC[®]3 features are compatible with all phones. For compatibility, see ford.com.au/sync. 11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 12. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 13. Prestige paint is an option that incurs an additional charge.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Engine							
Engine Type	Inline 5 Cylinder	Inline 5 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder
Engine Size (cm ³)	3198	3198	3198	2198	3198	2198	3198
Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1
Maximum Power	147kW @ 3000rpm	147kW @ 3000rpm	147kW @ 3000rpm	118kW @ 3200rpm	147kW @ 3000rpm	118kW @ 3200rpm	147kW @ 3000rpm
Maximum Torque	470Nm @ 1750-2500rpm	470Nm @ 1750-2500rpm	470Nm @ 1750-2500rpm	385Nm @ 1600-2500rpm	470Nm @ 1750-2500rpm	385Nm @ 1600-2500rpm	470Nm @ 1750-2500rpm
No. of Valves	20	20	20	16	20	16	20
Bore x Stroke (mm)	89.9 x 100.76	89.9 x 100.76	89.9 x 100.76	86 x 94.6	89.9 x 100.76	86 x 94.6	89.9 x 100.76
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
Transmissions/Ratios							
6-speed manual transmission	S	S			S		S
6-speed automatic transmission	O	O	S	S	O	S	O
10-speed automatic transmission							
Fuel							
Combined Fuel Economy (L/100km)(Manual) ¹	8.3	8.3			8.3		8.3
CO ₂ Emissions (g/km)(Manual) ¹	218	218			218		218
Combined Fuel Economy (L/100km)(Auto) ¹	8.7	8.7	8.7	8.0	8.7	8.0	8.7
CO ₂ Emissions (g/km)(Auto) ¹	229	229	229	209	229	209	229
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Pick-up Box Dimensions (mm)							
Height - at centreline of axle			511			511	511
Height - floor height to ground			835			835	835
Length - at floor			1847			1549	1549
Length - top of box			1783			1485	1485
Width - between wheelhouses			1139			1139	1139
Width - pick-up box			1560			1560	1560
Width - rear opening			1330			1330	1330
Exterior Dimensions (mm)							
Length - with rear bumper (where fitted)	5113	5113	5362	5113	5113	5362	5362
Width - exterior mirrors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1860	1860	1860	1860	1860	1860	1860
Height	1800	1804	1804	1815	1815	1815	1815
Overhang - Front	908	908	908	908	908	908	908
Overhang - Rear	985	985	1234	985	985	1234	1234
Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	232	232	232	232	232	232
Wading Depth (mm)	800	800	800	800	800	800	800
Approach Angle (unladen, degrees)	28	28	28	28	28	28	28
Departure Angle (unladen, degrees)	28	28	27	28	28	27	27
measured to:							
a) rear bumper on XL Pick-up models,							
b) spare tyre on XL Cab Chassis models,							
c) tow bar on XLT and Wildtrak models							
Ramp Breakover Angle (degrees)	24	24	24	24	24	24	24
Turning Circle - Kerb to Kerb (m)	12.7	12.7	12.7	12.7	12.7	12.7	12.7
Interior Dimensions (mm)							
2nd Row Headroom		938	938	986	986	986	986
2nd Row Legroom		796	796	902	902	902	902
2nd Row Shoulder Room		1400	1400	1430	1430	1430	1430
Front Headroom	1024	1024	1024	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
Vehicle Masses (kg)²							
Kerb Weight - Total ³	1869(M) / 1887(A)	1933(M) / 1951(A)	2085	1938	1995(M) / 2012(A)	2064	2118(M) / 2135(A)
Kerb Weight - Front Axle ³	1199(M) / 1211(A)	1223(M) / 1236(A)	1230	1195	1235(M) / 1247(A)	1235	1224(M) / 1237(A)
Kerb Weight - Rear Axle ³	670(M) / 676(A)	710(M) / 715(A)	855	743	760(M) / 765(A)	829	894(M) / 898(A)
Payload ⁴	1331(M) / 1313(A)	1267(M) / 1249(A)	1115	1262	1205(M) / 1188(A)	1136	1082(M) / 1065(A)
Gross Vehicle Mass	3200	3200	3200	3200	3200	3200	3200
Gross Combined Mass	6000	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity ⁵	3500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1480	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1850	1850	1850	1850	1850	1850	1850

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 5. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Exterior							
Centre High Mounted Stop Light			S			S	S
Exterior Lighting - LED Daytime Running Lamps							
Exterior Door / Tailgate Handles - Black	S	S	S	S	S	S	S
Exterior Door / Tailgate Handles - Chrome							
Exterior Door / Tailgate Handles - Bolder Grey							
Exterior Mirrors - Black	S	S	S	S	S	S	S
Exterior Mirrors - London Grey							
Exterior Mirrors - Chrome							
Exterior Mirrors - Bolder Grey							
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator							
Exterior Mirrors - Puddle Lamps							
Front Bumper - Body Colour	S	S	S	S	S	S	S
Front Bumper Insert - Accent Bolder Grey							
Exterior Lighting - Front Fog Lamps (Halogen)							
Exterior Lighting - Front Fog Lamps (LED)							
Grille - Black	S	S	S	S	S	S	S
Grille - London Grey							
Grille - Chrome							
Grille - Bolder Grey							
Exterior Lighting - High Intensity Discharge (HID) headlamps							
Mud Flaps - Front and Rear ⁶	S	S	S	S	S	S	S
Privacy Glass							
Rear Bumper - Body Colour			S			S	S
Rear Bumper - Chrome Steel							
Rear Bumper - Bolder Grey							
Side Steps - Black							
Side Steps - Black with Silver Inserts							
Rear Sports Bar - Chrome Tubular							
Rear Sports Bar - Sailplane							
Tow Bar							
Wheels - 16" Steel	S	S	S	S	S	S	S
Wheels - 16" Alloy							
Wheels - 17" Alloy							
Wheels - 18" Alloy							
Load Box Elements Load Box Elements							
Bedliner with 12V Socket							
Inner Tie Downs			S			S	S
Load Box Illumination			S			S	S
Load Rest			S			S	S
Roller Shutter							
Tailgate Lock - Manual			S			S	S
Tailgate Lock - Power (activated with Central Locking)							
Tailgate with Lift Assistance			S			S	S
Seating							
6-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S	S	S
8-way Power Driver Seat Adjustment (plus Lumbar Support)							
Heated Front Seats							
XLT Leather Accented Seats (Black)							
Wildtrak Leather Accented Seats (Black with orange stitching)							
Comfort and Convenience							
230V Inverter - Rear of Centre Console		S	S	S	S	S	S
Ambient Lighting - Multi-Colour							
Auxillary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Rear of Centre Console							
Centre Console - Single Lid with 2 Cup Holders & Coin Storage	S	S	S	S	S	S	S
Centre Console - Cooled							
Child Seat Upper Anchorage Points (x 2)		S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)				S	S	S	S
Climate Control - Single Zone Manual	S	S	S	S	S	S	S
Climate Control - Dual Zone Automatic							
Dual Colour 4.2" Instrumentation Screens							
Floor Coverings - Vinyl	S	S	S	S	S	S	S
Floor Coverings - Carpet							
Floor Mats - Driver Only							
Floor Mats (Wildtrak) - All Positions							
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob							
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

6. Rear mud flaps on pick-up models only.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Comfort and Convenience – Cont.							
Power Rear Windows				S	S	S	S
Rain Sensing Windscreen Wipers							
Rear Window Defrost	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S	S	S
Rear View Mirror - Electrochromatic							
Audio And Communication							
4.2" Colour Multi-Function Display	S	S	S	S	S	S	S
8" Colour Touch Screen							
4 Speakers (2 Tweeters, 2 Woofers)	S						
6 Speakers (2 Tweeters, 4 Woofers)		S	S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay & Android Auto ⁷							
Bluetooth® with Phone/Audio Streaming ⁸	S	S	S	S	S	S	S
CD Player (MP3 compatible)	S	S	S	S	S	S	S
DAB+ Digital Radio							
Satellite Navigation with Traffic Message Channel ⁹							
SYNC® with Voice-Activated Controls ¹⁰	S	S	S	S	S	S	S
SYNC®3 with Voice-Activated Controls ¹⁰							
USB Port x1	S	S	S	S	S	S	S
USB Ports x2							
Safety, Security and Driver Assistance							
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
Adaptive Cruise Control with Forward Collision Alert ¹¹							
Adjustable Speed Limiter	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors							
Anti-Lock Braking System (ABS) ¹¹	S	S	S	S	S	S	S
Auto High Beam ¹¹							
Beltminder™ - All Positions	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S
Driver Impairment Monitor ¹¹							
Dynamic Stability Control (DSC) ¹¹	S	S	S	S	S	S	S
Emergency Assistance ¹²	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S
Hill Descent Control ¹¹	S	S	S	S	S	S	S
Hill Launch Assist ¹¹	S	S	S	S	S	S	S
Lane Keeping Aid ¹¹							
Load Adaptive Control ¹¹	S	S	S	S	S	S	S
MyKey®							
Parking Sensors - Front							
Parking Sensors - Rear			S			S	S
Pre-Collision Assist - AEB with Pedestrian Detection ¹¹							
Rear Differential - eLocking	S	S	S	S	S	S	S
Rear View Camera			S			S	S
Remote Keyless Entry - 1 Fob Provided	S	S	S	S	S	S	S
Roll Over Mitigation ¹¹	S	S	S	S	S	S	S
Semi-Auto Active Park Assist ¹¹							
Smart Keyless Entry with Push Button Start - 2 Fobs Provided							
Traction Control System ¹¹	S	S	S	S	S	S	S
Traffic Sign Recognition ¹¹							
Trailer Sway Control ¹¹	S	S	S	S	S	S	S
Tyre Pressure Monitoring System							
Regular Production Options							
Automatic Transmission	O	O	S	S	O	S	O
Black 18" Alloy Wheels							
SYNC®3 Pack, including: - SYNC®3 · 8" Touch Screen · Satellite Navigation · Dual 4.2" Instrument Screens · DAB+ Digital Radio · Dual Zone Climate Control · Smart Keyless Entry with Push Button Start · Chrome Exterior Grille & Handles							
XLT Leather Accented Seats							
XLT Tech Pack, including: - Adaptive Cruise Control with Forward Collision Alert · Pre-Collision Assist (AEB with Pedestrian Detection) · Auto High Beam · Driver Impairment Monitor · Lane Keeping Aid · Semi Auto Active Park Assist · Traffic Sign Recognition ¹¹							
Prestige Paint ¹³	O	O	O	O	O	O	O

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

7. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 8. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cease for any reason. 10. Not all SYNC® and SYNC®3 features are compatible with all phones. For compatibility, see ford.com.au/sync. 11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 12. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 13. Prestige paint is an option that incurs an additional charge.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel
Engine							
Engine Type	Inline 5 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm ³)	3198	3198	1996	3198	1996	3198	1996
Compression Ratio	15.7:1	15.7:1	16:1	15.7:1	16:1	15.7:1	16:1
Maximum Power	147kW @ 3000rpm	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	157kW @ 3750rpm
Maximum Torque	470Nm @ 1750-2500rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm
No. of Valves	20	20	16	20	16	20	16
Bore x Stroke (mm)	89.9 x 100.76	89.9 x 100.76	84 x 90	89.9 x 100.76	84 x 90	89.9 x 100.76	84 x 90
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
Transmissions/Ratios							
6-speed manual transmission	S			S		S	
6-speed automatic transmission	O	S		O		O	
10-speed automatic transmission			S		S		S
Fuel							
Combined Fuel Economy (L/100km)(Manual) ¹	8.3			8.4		8.4	
CO ₂ Emissions (g/km)(Manual) ¹	218			221		221	
Combined Fuel Economy (L/100km)(Auto) ¹	8.9	8.7	7.4	8.9	7.4	8.9	7.4
CO ₂ Emissions (g/km)(Auto) ¹	234	229	195	234	195	234	195
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Pick-up Box Dimensions (mm)							
Height - at centreline of axle	511	511	511	511	511	511	511
Height - floor height to ground	835	840	840	840	840	840	840
Length - at floor	1549	1847	1847	1549	1549	1549	1549
Length - top of box	1485	1783	1783	1485	1485	1485	1485
Width - between wheelhouses	1139	1139	1139	1139	1139	1139	1139
Width - pick-up box	1560	1560	1560	1560	1560	1560	1560
Width - rear opening	1330	1330	1330	1330	1330	1330	1330
Exterior Dimensions (mm)							
Length - with rear bumper (where fitted)	5362	5426	5426	5426	5426	5426	5426
Width - exterior mirrors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1860	1860	1860	1860	1860	1860	1860
Height	1815	1810	1810	1821	1821	1848	1848
Overhang - Front	908	908	908	908	908	908	908
Overhang - Rear	1234	1226	1226	1226	1226	1226	1226
Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	237	237	237	237	237	237
Wading Depth (mm)	800	800	800	800	800	800	800
Approach Angle (unladen, degrees)	28	29	29	29	29	29	29
Departure Angle (unladen, degrees)	27	21	21	21	21	21	21
measured to:							
a) rear bumper on XL Pick-up models,							
b) spare tyre on XL Cab Chassis models,							
c) tow bar on XLT and Wildtrak models							
Ramp Breakover Angle (degrees)	24	25	25	25	25	25	25
Turning Circle - Kerb to Kerb (m)	12.7	12.7	12.7	12.7	12.7	12.7	12.7
Interior Dimensions (mm)							
2nd Row Headroom	986	938	938	986	986	986	986
2nd Row Legroom	902	796	796	902	902	902	902
2nd Row Shoulder Room	1430	1400	1400	1430	1430	1430	1430
Front Headroom	1022	1024	1024	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
Vehicle Masses (kg)²							
Kerb Weight - Total ³	2191(M) / 2209(A)	2178	2146	2212(M) / 2230(A)	2197	2260(M) / 2278(A)	2246
Kerb Weight - Front Axle ³	1226(M) / 1239(A)	1238	1211	1232(M) / 1245(A)	1218	1240(M) / 1253(A)	1226
Kerb Weight - Rear Axle ³	965(M) / 970(A)	940	935	980(M) / 985(A)	979	1020(M) / 1025(A)	1020
Payload ⁴	1009(M) / 991(A)	1022	1054	988(M) / 970(A)	1003	940(M) / 922(A)	954
Gross Vehicle Mass	3200	3200	3200	3200	3200	3200	3200
Gross Combined Mass	6000	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity ⁵	3500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1480	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1850	1850	1850	1850	1850	1850	1850

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 5. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel
Exterior							
Centre High Mounted Stop Light	S	S	S	S	S	S	S
Exterior Lighting - LED Daytime Running Lamps		S	S	S	S	S	S
Exterior Door / Tailgate Handles - Black	S						
Exterior Door / Tailgate Handles - Chrome	P	S	S	S	S		
Exterior Door / Tailgate Handles - Monument Grey						S	S
Exterior Mirrors - Black							
Exterior Mirrors - London Grey	S						
Exterior Mirrors - Chrome		S	S	S	S		
Exterior Mirrors - Monument Grey						S	S
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator		S	S	S	S	S	S
Exterior Mirrors - Puddle Lamps						S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S
Front Bumper Insert - Accent Monument Grey						S	S
Exterior Lighting - Front Fog Lamps (Halogen)	S	S	S	S	S		
Exterior Lighting - Front Fog Lamps (LED)						S	S
Grille - Black							
Grille - London Grey	S						
Grille - Chrome	P	S	S	S	S		
Grille - Monument Grey						S	S
Exterior Lighting - High Intensity Discharge (HID) headlamps		S	S	S	S	S	S
Mud Flaps - Front and Rear ⁶	S	S	S	S	S	S	S
Privacy Glass		S	S	S	S	S	S
Rear Bumper - Body Colour	S						
Rear Bumper - Chrome Steel		S	S	S	S		
Rear Bumper - Monument Grey						S	S
Side Steps - Black			S	S	S		
Side Steps - Black with Silver Inserts						S	S
Rear Sports Bar - Chrome Tubular		S	S	S	S		
Rear Sports Bar - Sailplane						S	S
Tow Bar		S	S	S	S	S	S
Wheels - 16" Steel							
Wheels - 16" Alloy	S						
Wheels - 17" Alloy		S	S	S	S		
Wheels - 18" Alloy				O	O	S	S
Load Box Elements Load Box Elements							
Bedliner with 12V Socket		S	S	S	S	S	S
Inner Tie Downs	S	S	S	S	S	S	S
Load Box Illumination	S	S	S	S	S	S	S
Load Rest	S						
Roller Shutter						S	S
Tailgate Lock - Manual	S	S	S	S	S		
Tailgate Lock - Power (activated with Central Locking)						S	S
Tailgate with Lift Assistance	S	S	S	S	S	S	S
Seating							
6-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S		
8-way Power Driver Seat Adjustment (plus Lumbar Support)						S	S
Heated Front Seats						S	S
XLT Leather Accented Seats (Black)				O	O		
Wildtrak Leather Accented Seats (Black with orange stitching)						S	S
Comfort and Convenience							
230V Inverter - Rear of Centre Console	S	S	S	S	S	S	S
Ambient Lighting - Multi-Colour						S	S
Auxillary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Rear of Centre Console		S	S	S	S	S	S
Centre Console - Single Lid with 2 Cup Holders & Coin Storage	S	S	S	S	S	S	S
Centre Console - Cooled		S	S	S	S	S	S
Child Seat Upper Anchorage Points (x 2)	S	S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)	S			S	S	S	S
Climate Control - Single Zone Manual	S						
Climate Control - Dual Zone Automatic	P	S	S	S	S	S	S
Dual Colour 4.2" Instrumentation Screens	P	S	S	S	S	S	S
Floor Coverings - Vinyl							
Floor Coverings - Carpet	S	S	S	S	S	S	S
Floor Mats - Driver Only	S	S	S	S	S		
Floor Mats (Wildtrak) - All Positions						S	S
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob		S	S	S	S	S	S
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

6. Rear mud flaps on pick-up models only.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel
Comfort and Convenience – Cont.							
Power Rear Windows	S			S	S	S	S
Rain Sensing Windscreen Wipers		S	S	S	S	S	S
Rear Window Defrost	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S						
Rear View Mirror - Electrochromatic		S	S	S	S	S	S
Audio And Communication							
4.2" Colour Multi-Function Display	S						
8" Colour Touch Screen	P	S	S	S	S	S	S
4 Speakers (2 Tweeters, 2 Woofers)							
6 Speakers (2 Tweeters, 4 Woofers)	S	S	S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay & Android Auto ⁷	P	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming ⁸	S	S	S	S	S	S	S
CD Player (MP3 compatible)	S	S	S	S	S	S	S
DAB+ Digital Radio	P	S	S	S	S	S	S
Satellite Navigation with Traffic Message Channel ⁹	P	S	S	S	S	S	S
SYNC® with Voice-Activated Controls ¹⁰	S						
SYNC®3 with Voice-Activated Controls ¹⁰	P	S	S	S	S	S	S
USB Port x1	S						
USB Ports x2	P	S	S	S	S	S	S
Safety, Security and Driver Assistance							
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
Adaptive Cruise Control with Forward Collision Alert ¹¹		P	P	P	P	S	S
Adjustable Speed Limiter	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors	S	S	S	S	S	S	S
Anti-Lock Braking System (ABS) ¹¹	S	S	S	S	S	S	S
Auto High Beam ¹¹		P	P	P	P	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S
Driver Impairment Monitor ¹¹		P	P	P	P	S	S
Dynamic Stability Control (DSC) ¹¹	S	S	S	S	S	S	S
Emergency Assistance ¹²	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S
Hill Descent Control ¹¹	S	S	S	S	S	S	S
Hill Launch Assist ¹¹	S	S	S	S	S	S	S
Lane Keeping Aid ¹¹		P	P	P	P	S	S
Load Adaptive Control ¹¹	S	S	S	S	S	S	S
MyKey®	P	S	S	S	S	S	S
Parking Sensors - Front	S	S	S	S	S	S	S
Parking Sensors - Rear	S	S	S	S	S	S	S
Pre-Collision Assist - AEB with Pedestrian Detection ¹¹		P	P	P	P	S	S
Rear Differential - eLocking	S	S	S	S	S	S	S
Rear View Camera	S	S	S	S	S	S	S
Remote Keyless Entry - 1 Fob Provided							
Roll Over Mitigation ¹¹	S	S	S	S	S	S	S
Semi-Auto Active Park Assist ¹¹		P	P	P	P	S	S
Smart Keyless Entry with Push Button Start - 2 Fobs Provided	P	S	S	S	S	S	S
Traction Control System ¹¹	S	S	S	S	S	S	S
Traffic Sign Recognition ¹¹		P	P	P	P	S	S
Trailer Sway Control ¹¹	S	S	S	S	S	S	S
Tyre Pressure Monitoring System		S	S	S	S	S	S
Regular Production Options							
Automatic Transmission	O	S	S	O	S	O	S
Black 18" Alloy Wheels				O	O	O	O
SYNC®3 Pack, including: - SYNC®3 - 8" Touch Screen - Satellite Navigation - Dual 4.2" Instrument Screens - DAB+ Digital Radio - Dual Zone Climate Control - Smart Keyless Entry with Push Button Start - Chrome Exterior Grille & Handles	O						
XLT Leather Accented Seats				O	O		
XLT Tech Pack, including: - Adaptive Cruise Control with Forward Collision Alert - Pre-Collision Assist (AEB with Pedestrian Detection) - Auto High Beam - Driver Impairment Monitor - Lane Keeping Aid - Semi Auto Active Park Assist - Traffic Sign Recognition ¹¹		O	O	O	O		
Prestige Paint ¹³	O	O	O	O	O	O	O

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

7. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 8. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Inteleatics Australia Pty Ltd (Inteleatics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Inteleatics cease for any reason. 10. Not all SYNC® and SYNC®3 features are compatible with all phones. For compatibility, see ford.com.au/sync. 11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 12. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 13. Prestige paint is an option that incurs an additional charge.